

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22180

Stream : Falling Run

Applicant : City of New Albany  
Sam Lahanis  
311-319 West First Street, Room 316  
City-County Building  
New Albany, IN 47150

Description : A 900' x 640' area was filled in the northwest (right) floodplain of the stream for improvements to the New Albany wastewater treatment plant. The fill varies in depth from 1" on the landward side to approximately 4' on the streamward side. Other work in the floodway will include a 25' x 100' aeration cascade outfall structure terminating in a 20' x 29' erosion control mattress, a 170' long x 6' high and a 44' long x 3'6" high concrete floodwall, a new lift station, and a 15' x 28' electrical building. Details of the project are contained in information and plans received at the Division of Water on January 14, 2003, and February 4, 2003.

Location : Approximately 2100' upstream of the confluence with the Ohio River  
DOWNSTREAM: near New Albany, New Albany Township, Floyd County  
SE¼, NW¼, SE¼, Section 3, T 3S, R 6E, New Albany, IN-KY Quadrangle  
Quad Code: 3808537  
UTM Coordinates: Downstream 4236981 North, 602096 East  
UPSTREAM:  
UTM Coordinates: Upstream 4237191 North, 602439 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22197

Stream : East Fork White River

Applicant : Indiana Department of Natural Resources  
Glendale Fish and Wildlife Area  
Robert Tarter  
RR 2 Box 300  
Montgomery, IN 47558

Description : An existing 24" culvert stormwater outfall structure which passes through a levee will be removed and replaced along the north (left) bank of the river to provide drainage for the adjacent wetland located landward of the floodway. A 24" outfall pipe will be buried in the floodplain. The pipe will carry stormwater from the fishery and wetland area to the river. A flapgate will be placed at the end of the pipe to prevent backflow into the river. An energy dissipator will be constructed at the base of the end section. Details of the project are found in information and plans received at the Division of Water on January 29, 2003, and February 10, 2003.

Location : Glendale Fish and Wildlife Area - On the north (right) river bank approximately 500' upstream of the west section line  
near Hudsonville, Reeve Township, Daviess County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 14, T 1N, R 6W, Glendale Quadrangle  
Quad Code: 3808751  
UTM Coordinates: Downstream 4261673 North, 495373 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22205

Stream : Deer Creek

Applicant : Grant and Madison County Drainage Board  
Karen Bostic Weaver  
401 South Adams Street, Suite 522  
Marion, IN 46953-2097

Description : Approximately 71800' of the channel will be reconstructed. A path will be cleared to provide construction equipment access to the designated "Working Side" of the stream, alternating between the right and left banks. Obstructions, trees, and brush will be removed from the open drain and disposed of by burning or burying within the 75' easement. Also, a maximum 4' of sediment will be removed to provide adequate tile outlet drainage. The excavated material will be spread to a depth of 12" within the 75' easement. Deteriorated or broken field tile outlet pipes will be replaced or repaired to prevent further soil erosion. Native grasses and legumes will be planted to establish a 30' wide buffer strip landward from the top of banks and to protect the ditch banks from erosion. Details of the project are contained in information and plans received at the Division of Water on January 22, 2003.

Location : Beginning approximately 5270' downstream of County Road 600 South and continuing approximately 71800' upstream  
DOWNSTREAM: near Jonesboro, Liberty Township, Grant County  
SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 1, T 23N, R 7E, Fairmount Quadrangle  
Quad Code: 4008546  
UTM Coordinates: Downstream 4480900 North, 611825 East  
UPSTREAM: at Summitville, Boone Township, Madison County  
NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , SE $\frac{1}{4}$ , Section 12, T 22N, R 7E, Alexandria Quadrangle  
Quad Code: 4008536  
UTM Coordinates: Upstream 4469465 North, 612175 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22211

Stream : East Fork White River

Applicant : Kevin Beavers  
2214 High Street  
Seymour, IN 47274-3404

Stan Taskey  
2214 High Street  
Seymour, IN 47274-3404

Description : Approximately 1000' of the river's eroded south left streambank will be stabilized with broken concrete, concrete blocks and bricks to protect the bank from further erosion. It will have a maximum height of 8', a maximum streamward projection of 8' beyond the existing bank. Details of the project are contained in information and plans received at the Division of Water on January 24, 2003.

Location : Approximately 1000' along the left (south) river bank, immediately downstream (west) of the US 31A/State Road 11 river crossing  
DOWNSTREAM: near Seymour, Redding Township, Jackson County  
SE¼, SE¼, SE¼, Section 31, T 7N, R 6E, Seymour Quadrangle  
Quad Code: 3808588  
UTM Coordinates: Downstream 4316934 North, 595714 East  
UPSTREAM:  
UTM Coordinates: Upstream 4316999 North, 595978 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22213

Stream : Unnamed Tributary Pigeon Creek

Applicant : Warrick Holding Company  
Jeffrey Mueller  
9144 Heim Road  
Chandler, IN 47610-9339

Description : A new riprap lined spillway approximately 1100' long will be constructed around the southwest corner of an existing dam to replace an existing enclosed decant system. The new structure will have a 10' bottom width and 3:1 side slopes. The control section will be placed at elevation 446.75' and the existing decant system will be abandoned in place by filling the drop inlet and outlet pipe with concrete. Details of the project are contained in information and plans received at the Division of Water on February 3, 2003.

Location : About 4500' west and 1800' north of the confluence of Pigeon and Squaw Creeks.  
near Millersburg, Campbell Township, Warrick County  
NW¼, Section 22, T 5S, R 9W, Daylight Quadrangle  
Quad Code: 3808714  
UTM Coordinates: Downstream 4213598 North, 464062 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22214

Stream : Clear Creek

Applicant : City of Bloomington  
Justin Wycoff  
401 North Morton Street  
Bloomington, IN 47404-3729

Description : A new bridge will be constructed over Clear Creek to carry a new pedestrian path across the stream. The new structure will be a single-span steel bridge with a span length of 120'. The structure will have an out-to-out length of 120' and a clear path width of 8'. The abutments will be aligned with streamflow. The approach path will be elevated a maximum of 8' above the existing grade. The path will be 8' wide and will extend approximately 810', also a manhole will be placed. Details of the project are contained in information and plans received at the Division of Water on January 28, 2003.

Location : Beginning approximately 36' upstream (north) of the Country Club Drive and CSX railroad intersection and extending approximately 810' east  
near Bloomington, Perry Township, Monroe County  
S $\frac{1}{2}$ , SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 9, T 8N, R 1W, Bloomington Quadrangle  
Quad Code: 3908625  
UTM Coordinates: Downstream 4331767 North, 540321 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22217

Stream : Applebutter Creek

Applicant : \*Indiana Department of Transportation  
Carole Korbly Scott  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : The existing bridge carrying US 40 over Applebutter Creek will be rehabilitated. The bridge is a stone arch under fill with a 16'-0 span length, and an 80'-0 length along the stream. The proposed rehabilitation consists of repointing the masonry joints, and patching the footing and any additional voids with concrete and pneumatically placed mortar. No other work that could have a significant impact to the streambed is anticipated. Details of the project are contained in information and plans received at the Division of Water on January 29, 2003.

Location : At the downstream (south) side of the US 40 stream crossing  
DOWNSTREAM: at Lewisville, Franklin Township, Henry County  
Section 30, T 16N, R 11E, Lewisville Quadrangle  
Quad Code: 3908573  
UTM Coordinates: Downstream 4407415 North, 641210 East  
UPSTREAM: Henry County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22221

Stream : Cobus Creek

Applicant : Elkhart Conservation Club  
Dave Douglas  
55515 Riviera Drive  
Elkhart, IN 46514-8411

Description : Six locations along approximately 1320' of the creek's eroded stream banks will be stabilized and protected using glacial stone, tree logs, and lunger structures. The project will require approximately 40 cubic yards of glacial stone and approximately 10-20 trees. The tree logs will be pinned with rebar to secure their positions. Also, two "lunker structures" will be installed on the bank at two locations. Details of the project are contained in information and plans received at the Division of Water on January 31, 2003 and February 4, 2003.

Location : Elkhart Conservation Club; extends approximately 1320' south (downstream) of the US 20 stream crossing  
DOWNSTREAM: near Elkhart, Cleveland Township, Elkhart County  
W½, NE¼, SE¼, Section 3, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661  
UTM Coordinates: Downstream 4615150 North, 579450 East  
UPSTREAM:  
UTM Coordinates: Upstream 4615400 North, 579200 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22223

Stream : West Fork White River

Applicant : Beaver Air Heating & Cooling Company  
Brad Beaver  
20755 Riverwood Avenue  
Noblesville, IN 46060-8812

Description : A 30' x 40' commercial building will be constructed on footers and will have a finished floor elevation of 775', NGVD. An existing access road will be used to access the site. Details of the project are contained in information and plans received at the Division of Water on February 4, 2003.

Location : Along the right (west) overbank, approximately 150' west of Riverwood Avenue and approximately 1850' south of 211th Street  
near Noblesville, Noblesville Township, Hamilton County  
NE¼, SW¼, SW¼, Section 16, T 19N, R 5E, Riverwood Quadrangle  
Quad Code: 4008518  
UTM Coordinates: Downstream 4438010 North, 587515 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22224

Stream : West Fork White River

Applicant : Hamilton Southeastern  
Harry Delk  
13485 Cumberland Road  
Fishers, IN 46038-3602

Description : The proposed Riverside School athletic fields will be developed along the stream. Construction within the floodway includes: placement of portions of four basketball courts and a parking lot (with associated grading) and placement of five sanitary sewer lines of varying lengths. Three of the sanitary sewers will terminate with a manhole in the overbank and the other two will terminate with concrete headwalls along the streambank. Details of the project are contained in information and plans received at the Division of Water on February 6, 2003 and February 12, 2003.

Location : Along the left (east) overbank, beginning approximately 500' upstream (north) of the confluence with Cheeney Creek and continuing upstream (north) approximately 3000'  
DOWNSTREAM: near Fishers, Delaware Township, Hamilton County  
W½, Section 3, T 17N, R 4E, Fishers Quadrangle  
Quad Code: 3908681  
UTM Coordinates: Downstream 4421865 North, 579840 East  
UPSTREAM:  
UTM Coordinates: Upstream 4422660 North, 579605 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-22226

Stream : Cool Creek

Applicant : KITE Construction  
Eric Strickland  
30 South Meridian Street, Suite 1100  
Indianapolis, IN 46204-3565

Wilfong Land Companies  
Beau Wilfong  
1549 East Greyhound Pass  
Carmel, IN 46032-5000

Description : The proposed project involves the construction of a reinforced concrete retaining wall along the west bank of the creek, placement of fill behind the wall, excavation of material to create a shelf along the toe of the retaining wall that will provide additional stream conveyance to off-set the proposed fill, and other associated work. The retaining wall would extend continuously upstream of 146th Street for a distance of approximately 1,200'. The proposed fill would be set a minimum of about 70 feet back from the existing creek top of bank with an average setback of about 100'. All fill will be placed behind the proposed retaining wall. The retaining wall would have a top elevation of about 822.0' (NGVD). Associated construction in the present floodway would include a parking lot and other miscellaneous work on the fill landward of the proposed retaining wall. Three outfall structures will extend through the retaining wall and discharge stormwater over riprap placed landward of the creek channel. Details of the project are contained in information received electronically at the Division of Water on February 10, 2003 and in plans and information received at the Division of Water on February 11, 2003.

Location : Along the west bank of the stream extending approximately 1, 200 feet north (upstream) of 146th Street bridge over Cool Creek.  
Near Westfield, Washington Township, Hamilton County  
Section 18, T 18N, R 4E, Noblesville Quadrangle  
Quad Code: 4008611

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19437

Lake : Big Chapman Lake

Applicant : Paul Reith  
2278 East Laurien Court  
Warsaw, IN 46582-5628

Description : A concrete seawall will be constructed across 80' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The straight seawall will be connected to existing seawalls on the adjacent properties. Details of the project are contained in information and plans received at the Division of Water on January 24, 2003.

Location : Lot 3, Irvines Park, 4th Addition  
near Warsaw, Plain Township, Kosciusko County  
NW¼, SE¼, SW¼, Section 25, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537  
UTM Coordinates: Downstream 4570507 North, 602210 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19439

Lake : Big Lake

Applicant : Robert Ostram  
5554 South Highpoint Drive  
Albion, IN 46701-9361

Description : A 50' x 20' underwater beach will be constructed along the applicant's 100' frontage by placing a uniform 4" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on January 29, 2003.

Location : Lots 5 and 6 of Highpoint Addition, 5554 South Highpoint Drive  
near Albion, Noble Township, Noble County  
NW¼, SE¼, NE¼, Section 32, T 33N, R 9E, Ormas Quadrangle  
Quad Code: 4108535  
UTM Coordinates: Downstream 4570182 North, 625410 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-19441

Lake : South Mud Lake

Applicant : David L Baird  
2759 South East Lakeside Drive  
Macy, IN 46951-8522

Description : A 638' foot riprap reface will be placed along the lakeward face of an existing glacial stone seawall. Details of the project are contained in information and plans received at the Division of Water on January 31, 2003.

Location : 2579 South East Lakeshore Drive  
near Macy, Liberty Township, Fulton County  
SE¼, SE¼, SE¼, Section 16, T 29N, R 3E, Macy Quadrangle  
Quad Code: 4008682  
UTM Coordinates: Downstream 4533543 North, 568229 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11